

Timber fencing products have always been our most versatile and economical means of creating attractive and durable boundary systems across a wide range of markets. Yet recent concerns have questioned some treated fencing timbers on the market as to their performance against decay and insect attack.



**James Jones  
& SONS LIMITED**

Total commitment to **quality** and **service** has always been the James Jones philosophy and we have real **confidence** that our fencing timbers will do the job expected of them. So confident that we have now introduced a new **15 year performance warranty** on all ground contact components that are at greatest risk of degrade and deterioration: **Posts, Strainers and Stays**. A warranty that will give you and your customers total **confidence** on future fencing projects.

*This warranty, detailed in full overleaf, is based on key production aspects that all help to provide a superior final product:*

- Components are manufactured using the very latest milling and processing equipment from our own UK mills, with the strictest quality control procedures.
- Components produced from Scots Pine species are particularly receptive to preservative treatment and form the mainstay of our fencing production. However, properly prepared and treated, Larch and Douglas Fir species offer the same performance and are also included within the warranty scheme. All our timbers are sourced from FSC certified (70% Mixed) home grown resources.
- We use TANALITH® E wood preservative in our own treatment facilities to protect all our fencing timbers against the threat of decay and insect attack. TANALITH® E is an exceptional and proven



preservative that will provide the best protection for outdoor timbers, especially those in ground contact.



- Prior to treatment we ensure all components have been carefully and thoroughly dried to the appropriate moisture content, thereby ensuring we achieve the very best treatment results.
- All our preservative treatments meet the sapwood penetration levels required by BS EN 351-1 and the quality levels as required by BS EN 351-2.
- All our fencing timbers are preservative treated to meet the relevant Use Class as defined in BS EN 335-1. Out of ground contact components are treated to Use Class 3 and in ground contact components to Use Class 4.

Add in a wide range of machined finishes and sizes available from stock (*see overleaf*) and a fast and friendly delivery service anywhere in the UK and James Jones fencing timbers become your natural choice.

### A Clear Mark of Quality

As part of our new warranty scheme, all our ground contact components will be supplied individually marked to identify them as James Jones products as well as the date of treatment.



For more information contact us on  
**01324 562241** or  
visit our website  
**www.jamesjones.co.uk**



# Fencing Timbers...

## giving you total confidence!



**James Jones  
& SONS LIMITED**

**FENCING  
TIMBERS  
15 year  
WARRANTY**

*Confidence Assured*

## 15 YEAR WARRANTY

The TANALISED® E pressure treated range of Use Class 4 ground contact fencing components from James Jones, when used in accordance with the appropriate standards, has a 15 year warranty against failure of the timber from fungal decay or insect attack.

The warranty is for the cost of re-supply by James Jones, or the re-supply by James Jones (at our option), of a component that is proven to have failed as a result of fungal decay or insect attack within 15 years of supply. It does not cover the costs of removal or reinstatement of such components or consequential costs or loss due to failure of the component. Claims must be brought within two weeks of the expiry of the 15 year period, at the latest.

The term 'fungal decay' as used in the guarantee refers to wood destroying fungi that feed on and degenerate the wood cell walls. It excludes staining and mould fungi associated with the weathering of wood.

The term 'insect attack' refers to attack by wood digesting insects that destroy the timber structure.

The term 'failed' refers to damage caused by insects and/or fungi to such an extent that the component is no longer fit for purpose.

Nothing in this warranty affects the statutory rights of consumers, or excludes or restricts the liability of James Jones for death or personal injury caused by negligence, or for fraudulent misrepresentation.

### CONDITIONS

1. The fencing timbers must not have been misused or placed in abnormal conditions

and must not have been used for any extraordinary purpose which was not drawn to the attention of James Jones at the time of purchase.

2. Only James Jones fence posts, strainers or stays must be used in ground contact situations - Use Class 4 (BS EN 335-1). James Jones fence rails and fence boards should only be used for out of ground contact situations - Use Class 3 (BS EN 335-1).
3. Should James Jones pressure treated fencing timbers be cross cut, notched or bored during installation, then exposed surfaces must be liberally brushed with Ensele® end grain wood preservative to the directions shown on the product label, to protect the integrity of the treatment.
4. Fence posts must not be pointed after treatment.
5. The shortening of fence posts should be avoided, if possible, but in any event the cut end must never be used in ground contact.
6. Any James Jones pressure treated fencing timbers which are further processed, eg. planed, must be returned to James Jones for re-treatment.
7. Any claim must be accompanied by proof of purchase.

### EXCLUSIONS

1. Any James Jones pressure treated fencing components supplied for use outside of European markets.
2. Any James Jones pressure treated fencing timbers removed from their original installation and re-used at a new location.

## Quality Timber Protection



PRESSURE TREATED TIMBER

When it comes to preservative pressure treated timber, you need to have assured confidence in its long-term performance and durability. TANALISED® E pressure treated timber is unique. It has been treated with TANALITH® E wood preservative – an exceptional and proven preservative, which provides unrivalled protection for your timbers.

More than 15 years of successful commercial use, in addition to extensive independent field trials around the world, underpin the performance of TANALISED® E pressure treated timber.



## Stock range of 1st Quality Fencing/ Agricultural Fencing

### Pointed Posts (available in 1st, A, B and C class grades)

size mm	1st class	A class	B class	C class
1200 x 75 x 75	✓			
1500 x 75 x 75	✓	✓	✓	✓
1650 x 75 x 75	✓	✓	✓	✓
1800 x 75 x 75	✓			

### Posts (Square Ended)

size mm	length m	
	2.4	3
75 x 75	✓	✓
75 x 100	✓	
100 x 100	✓	✓

### Round Posts, Strainers & Stays

size mm	length m		
	1.65	2.1	2.4
50/75 Dia	✓		
75/95 Dia	✓		
95/100 Dia	✓		
100 Dia		✓	
125 Dia		✓	
150 Dia		✓	✓
180 Dia		✓	✓
200 Dia		✓	✓



**James Jones**  
& SONS LIMITED

### James Jones & Sons Ltd

Garmouth Road, Mossstodloch,  
Morayshire, IV32 7LH.

Tel: (01343) 821421

Email: a.clark@jamesjones.co.uk

www.jamesjones.co.uk



**James Jones**  
& SONS LIMITED

