
 <b>1245</b>	
<b>James Jones &amp; Sons Limited</b> <b>14</b> <b>1245-CPR-1039</b>	
<b>BS EN 14081-1:2005 + A1:2011</b> <b>Graded structural timber with rectangular cross section</b> <b>WLAD</b> <b>Intended to be used in buildings and bridges</b>	
<b>Mechanical resistance, as:</b>	
<b>Strength grade of timber</b>	As delivery note and stamp mark on the timber to EN 14081 and BS 4978
<b>Geometrical data (mm)</b>	As delivery note and invoice
<b>Species</b>	WLAD
<b>Dimensional stability</b>	0.25%/%
<b>Resistance to fire as density referred to strength class, geometrical data and species</b>	
<b>Reaction to fire</b>	D-s2, d0
<b>Durability, as:</b>	
<b>Wood destroying fungi</b>	Class 4
<b>Insects</b>	NPD
<b>Termites</b>	NPD
<b>Marine borers</b>	NPD



**James Jones**  
& SONS LIMITED

**James Jones and Sons Ltd**



# **Construction Products Regulation**

## **DECLARATION OF PERFORMANCE**

1. Unique identification code of the product-type:

**Graded structural timber with rectangular cross section**

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

**G**

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

**Buildings and bridges**

4. Registered name and contact address of the manufacturer as required pursuant to Article 11(5):

**James Jones & Sons Limited, Ladywell Sawmill, Kirriemuir, Angus DD8 5PD  
Tel: 01575 572114  
[www.jamesjones.co.uk](http://www.jamesjones.co.uk)**

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

**Not applicable**

6. System of assessment and verification of constancy of performance of the construction product as set out in Annex V:

**System 2+**

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

**BS EN 14081-1:2005 + A1:2011 and BS EN 4978:2007 + A1:2011**

**CATG 1245 performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control and issued the certificate of conformity of the factory production control**

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

**Not applicable**

9. Declared performance:

Essential characteristics		Performance	Harmonised technical specification
<b>Mechanical Resistance</b> as:	Modulus of elasticity, bending strength, compressive strength; shear strength	GS/C16 and SS/C24 as delivery note and stamp mark	EN 14081:2005 + A1:2011
<b>Reaction to fire</b>		D-s2, d0	
<b>Release of dangerous substances</b>		NPD	
<b>Natural durability (not treated)</b>		Class 4	
<b>Wood destroying fungi</b>		NPD	
<b>Insects</b>		NPD	
<b>Termites</b>		NPD	
<b>Marine borers</b>		NPD	


Specific technical documentation:

**Not applicable**

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Name  IAN A PIRIE.  
 Title **JOINT MANAGING DIRECTOR.**  
 Date **16.10.14.**